




# DATA SHEET

## Inline

### Product Description



**06.02.2009**

The information contained in this document has been carefully researched and is, to the best of our knowledge, accurate. However, we assume no liability for any product failures or damages, immediate or consequential, resulting from the use of the information provided herein. Our products are not intended for use in systems in which failures of product could result in personal injury. All trademarks mentioned herein are property of their respective owners. All specifications are subject to change without notice.

---

## What is the Inline Series about?

Inline products are chassis-implemented TFT-panels for system integration. For every display size the Inline family features compatible versions with different controller boards inside.

All mounting elements are located at the same height and position. Only the depth varies from module to module.



## How many versions are there?

DataDisplay offers 4 different versions of the Inline series:

- Inline NET series (with Ethernet interface)
  - Inline USB series (with USB interface)
  - Inline Media series (with Ethernet interface; for video playback)
  - Inline Prisma series (with RGB interface)
-

## What are the benefits?

- brilliant display quality
- playback of static images or video clips
- display sizes from 10.4" to 19" (Media: 17.5" and 19")
- ultra flat mechanical design
- 3 different interfaces available (Ethernet, USB, RGB)
- flexible mounting system with removable support brackets
- no limitation in mounting position due to wide viewing TFT-technology
- optionally touch screen available (for most models)
- long-term availability



## There is a wide range of applications:

- automation terminals
  - kiosk systems
  - information terminals
  - interactive advertising
  - entertainment screens
  - 4 button keypad to control OSD (Prisma version only)
-

## Inline NET / USB / MEDIA / Prisma series

order no.	product	resolution	brightness (cd/m <sup>2</sup> )	viewing angle vert. / horiz.
PM-10-201	10.4 Inline NET module	1024x768	400	176° / 176°
PM-10-202	10.4 Inline NET module with touchscreen	1024x768	400	176° / 176°
PM-10-210	12.1 Inline NET module	800x600	450	178° / 178°
PM-10-211	12.1 Inline NET module with touchscreen	800x600	450	178° / 178°
PM-10-220	15.0 Inline NET module	1024x768	250	170° / 170°
PM-10-221	15.0 Inline NET module with touchscreen	1024x768	250	170° / 170°
PM-10-222	15.0 Inline NET module with Hibrite TFT	1024x768	800	110° / 150°
PM-10-230	17.0 Inline NET module	1280x1024	250	160° / 160°
PM-10-240	19.0 Inline NET module	1280x1024	300	178° / 178°
PM-10-241	19.0 Inline NET module with Hibrite TFT	1280x1024	600	170° / 170°
PM-10-003	10.4 Inline USB module	1024x768	400	176° / 176°
PM-10-004	10.4 Inline USB module with touchscreen	1024x768	400	176° / 176°
PM-10-008	12.1 Inline USB module	800x600	450	178° / 178°
PM-10-007	12.1 Inline USB module with touchscreen	800x600	450	178° / 178°
PM-10-010	15.0 Inline USB module	1024x768	250	170° / 170°
PM-10-011	15.0 Inline USB module with Hibrite TFT	1024x768	600	110° / 150°
PM-10-012	15.0 Inline USB module with touchscreen	1024x768	250	170° / 170°
PM-10-020	17.0 Inline USB module	1280x1024	250	160° / 160°
PM-10-030	19.0 Inline USB module	1280x1024	300	178° / 178°
PM-10-031	19.0 Inline USB module with Hibrite TFT	1280x1024	600	170° / 170°
PM-10-101	10.4 Inline Prisma module	1024x768	400	176° / 176°
PM-10-102	10.4 Inline Prisma module with touchscreen	1024x768	400	176° / 176°
PM-10-110	12.1 Inline Prisma module	800x600	450	178° / 178°
PM-10-111	12.1 Inline Prisma module with touchscreen	800x600	450	178° / 178°
PM-10-120	15.0 Inline Prisma module	1024x768	250	170° / 170°
PM-10-121	15.0 Inline Prisma module with touchscreen	1024x768	250	170° / 170°
PM-10-122	15.0 Inline Prisma module with Hibrite TFT	1024x768	600	110° / 150°
PM-10-130	17.0 Inline Prisma module	1280x1024	250	160° / 160°
PM-10-131	17.0 Inline Prisma module with touchscreen	1280x1024	250	160° / 160°
PM-10-140	19.0 Inline Prisma module	1280x1024	300	178° / 178°
PM-10-141	19.0 Inline Prisma module with touchscreen	1280x1024	300	178° / 178°
PM-10-142	19.0 Inline Prisma module with Hibrite TFT	1280x1024	600	170° / 170°
PM-10-301	17.5 Inline Media module (wide)	1280x768	400	110° / 150°
PM-10-302	19.0 Inline Media module (wide)	1440x900	300	160° / 160°
PM-10-303	19.0 Inline Media module (4:3)	1280x1024	300	178° / 178°

All Artista modules are also available as Solution Kit (please add "S" to order no., e.g. PM-10-003S)



DATA DISPLAY GROUP

Our company network supports you worldwide with offices in Germany, Turkey, Great Britain and the USA. For more information please contact:



DISTEC GmbH

**Distec GmbH**

Augsburger Str. 2  
82110 Germering  
Germany

Phone: +49 (0)89 / 89 43 63-0

Fax: +49 (0)89 / 89 43 63-131

E-Mail: [info@distec.de](mailto:info@distec.de)

Internet: [www.distec.de](http://www.distec.de)



DATA DISPLAY TEKNOLOJİ

**Data Display Teknoloji Elektronik San Ve Diş Tic A.Ş.**

Kustepe Leylak Sok.

Nursanlar İş Merkezi

Kat. 6 No: 21

Şişli / İstanbul

Turkey

Phone: +90 (0)212 / 356 04 20

Fax: +90 (0)212 / 356 04 25

E-Mail: [info@datadisplay.com.tr](mailto:info@datadisplay.com.tr)

Internet: [www.datadisplay.com.tr](http://www.datadisplay.com.tr)



DISPLAY TECHNOLOGY

**Display Technology Ltd.**

A2 Spectrum Business Centre  
Anthony's Way, Medway City Estate  
Rochester, Kent, ME2 4NP  
United Kingdom

Phone: + 44 (0)1634 / 29 55 55

Fax: + 44 (0)1634 / 29 55 43

E-Mail: [info@displaytechnology.co.uk](mailto:info@displaytechnology.co.uk)

Internet: [www.displaytechnology.co.uk](http://www.displaytechnology.co.uk)



**Apollo  
Display  
Technologies**

A Data Display Company

**Apollo Display Technologies, Corp.**

85 Remington Blvd.

Ronkonkoma, NY 11779

United States of America

Phone: +1 631 / 580-43 60

Fax: +1 631 / 580-43 70

E-Mail: [info@apolloDisplays.com](mailto:info@apolloDisplays.com)

Internet: [www.apolloDisplays.com](http://www.apolloDisplays.com)